



BGU 60

screwed head plate, KHU 60

head plate for mounting of bracket support profile U 60 to ceiling

galvanized, according to DIN EN ISO 19598 / DIN EN ISO 2081

Product	H	B	L	G
BGU 60GV	120 mm	80 mm	200 mm	1,25 kg
incl.:				
4x SES 10X25F		hexagon head bolt, DIN 933		
4x SEM 10F		hexagon-nut, DIN 934		

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	H	B	L	G
BGU 60F	120 mm	80 mm	200 mm	1,28 kg
incl.:				
4x SES 10X25F		hexagon head bolt, DIN 933		
4x SEM 10F		hexagon-nut, DIN 934		

Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	L	G
BGU 60E	120 mm	80 mm	200 mm	1,30 kg
incl.:				
4x SES 10X25E		hexagon head bolt, DIN 933		
4x SEM 10E		hexagon-nut, DIN 934		





Stainless steel, according to ASTM 31 Ti / AISI 316 L, BS 320S17 / BS 316S11

Product	H	B	L	G
BGU 60E4	120 mm	80 mm	200 mm	1,30 kg
incl.:				
4x SES 10X25E4		hexagon head bolt, DIN 933		
4x SEM 10E4		hexagon-nut, DIN 934		

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	H	B	L	G
BGU 60-HDG	120 mm	80 mm	200 mm	1,28 kg
incl.:				
4x SES 10X25-HDG		hexagon head bolt, DIN 933		
4x SEM 10-HDG		hexagon-nut, DIN 934		

Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	L	G
BGU 60-304	120 mm	80 mm	200 mm	1,30 kg
incl.:				
4x SES 10X25-304		hexagon head bolt, DIN 933		
4x SEM 10-304		hexagon-nut, DIN 934		

Stainless steel, according to ASTM 31 Ti / AISI 316 L, BS 320S17 / BS 316S11

Product	H	B	L	G
BGU 60-316	120 mm	80 mm	200 mm	1,30 kg
incl.:				
4x SES 10X25-316		hexagon head bolt, DIN 933		
4x SEM 10-316		hexagon-nut, DIN 934		

H: height
B: width
L: length



G: weight

DETAILS / APPLICATIONS

