


## RAA 85

cable tray attachment branch, height = 85 mm



### Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	H	B	G
RAA 85-10S	85 mm	100 mm	1 kg
incl.: 4x KLR clamp fastening set			
RAA 85-20S	85 mm	200 mm	1,2 kg
incl.: 4x KLR clamp fastening set			
RAA 85-30S	85 mm	300 mm	1,3 kg
incl.: 4x KLR clamp fastening set			
RAA 85-40S	85 mm	400 mm	1,4 kg
incl.: 4x KLR clamp fastening set			
RAA 85-50S	85 mm	500 mm	1,6 kg
incl.: 4x KLR clamp fastening set			
RAA 85-60S	85 mm	600 mm	1,7 kg
incl.: 4x KLR clamp fastening set			


### Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)



Product	H	B	G
RAA 85-10F	85 mm	100 mm	1,1 kg
incl.: 4x KLR E clamp fastening set			
RAA 85-20F	85 mm	200 mm	1,2 kg
incl.: 4x KLR E clamp fastening set			
RAA 85-30F	85 mm	300 mm	1,4 kg
incl.: 4x KLR E clamp fastening set			
RAA 85-40F	85 mm	400 mm	1,5 kg
incl.: 4x KLR E clamp fastening set			
RAA 85-50F	85 mm	500 mm	1,7 kg
incl.: 4x KLR E clamp fastening set			
RAA 85-60F	85 mm	600 mm	1,8 kg
incl.: 4x KLR E clamp fastening set			

**H:** height  
**B:** width  
**G:** weight

## DETAILS / APPLICATIONS





## OPTIONAL ACCESSORIES

VB, RAAD, RAADR, RTRV 85



UL classified

