


## RR 60

cable tray reducer, height = 60 mm

Cable tray reducer with integrated connectors



Please quote the design (left, centred, right) and the side width with your order. The first illustration with dimensions shows the centred design. This article is available made in material No. 1.4571/1.4404 (V4A) stainless steel finish.



### Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	H	B	L	G
RR 60-20S	60 mm	200 mm	500 mm	1,4 kg
incl.: 2x KLR clamp fastening set				
RR 60-30S	60 mm	300 mm	500 mm	1,8 kg
incl.: 2x KLR clamp fastening set				
RR 60-40S	60 mm	400 mm	500 mm	2,2 kg
incl.: 2x KLR clamp fastening set				
RR 60-50S	60 mm	500 mm	500 mm	2,6 kg
incl.: 2x KLR clamp fastening set				
RR 60-60S	60 mm	600 mm	500 mm	2,9 kg
incl.: 2x KLR clamp fastening set				

### Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	H	B	L	G
RR 60-20F	60 mm	200 mm	500 mm	1,6 kg





Product	H	B	L	G
incl.: 2x KLR E				
				clamp fastening set
RR 60-30F	60 mm	300 mm	500 mm	2 kg
incl.: 2x KLR E				
				clamp fastening set
RR 60-40F	60 mm	400 mm	500 mm	2,4 kg
incl.: 2x KLR E				
				clamp fastening set
RR 60-50F	60 mm	500 mm	500 mm	2,9 kg
incl.: 2x KLR E				
				clamp fastening set
RR 60-60F	60 mm	600 mm	500 mm	3,3 kg
incl.: 2x KLR E				
				clamp fastening set

## Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	L	G
RR 60-20E	60 mm	200 mm	500 mm	1,4 kg
incl.: 2x KLR E				
				clamp fastening set
RR 60-30E	60 mm	300 mm	500 mm	1,8 kg
incl.: 2x KLR E				
				clamp fastening set
RR 60-40E	60 mm	400 mm	500 mm	2,2 kg
incl.: 2x KLR E				
				clamp fastening set
RR 60-50E	60 mm	500 mm	500 mm	2,6 kg
incl.: 2x KLR E				
				clamp fastening set
RR 60-60E	60 mm	600 mm	500 mm	3 kg
incl.: 2x KLR E				
				clamp fastening set





**H:** height  
**B:** width  
**L:** length  
**G:** weight

## OPTIONAL ACCESSORIES

VB, RRD, RRDR, RTRV 60



UL classified

