



RVB 110

cable tray vertical bend, height = 110 mm

cable tray vertical bend for flexible vertical change of direction

This article is available made in material No. 1.4571/1.4404 (V4A) stainless steel finish.



Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	H	B	R	G
RVB 110-10S	110 mm	100 mm	375 mm	3,7 kg
incl.:				
4x KLR	clamp fastening set			
RVB 110-20S	110 mm	200 mm	375 mm	4,2 kg
incl.:				
4x KLR	clamp fastening set			
RVB 110-30S	110 mm	300 mm	375 mm	4,7 kg
incl.:				
4x KLR	clamp fastening set			
RVB 110-40S	110 mm	400 mm	375 mm	5,2 kg
incl.:				
4x KLR	clamp fastening set			
RVB 110-50S	110 mm	500 mm	375 mm	5,7 kg
incl.:				
4x KLR	clamp fastening set			
RVB 110-60S	110 mm	600 mm	375 mm	6,2 kg
incl.:				
4x KLR	clamp fastening set			

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)





Product	H	B	R	G
RVB 110-10F	110 mm	100 mm	375 mm	4 kg
incl.: 4x KLR E clamp fastening set				
RVB 110-20F	110 mm	200 mm	375 mm	4,5 kg
incl.: 4x KLR E clamp fastening set				
RVB 110-30F	110 mm	300 mm	375 mm	5 kg
incl.: 4x KLR E clamp fastening set				
RVB 110-40F	110 mm	400 mm	375 mm	5,6 kg
incl.: 4x KLR E clamp fastening set				
RVB 110-50F	110 mm	500 mm	375 mm	6,1 kg
incl.: 4x KLR E clamp fastening set				
RVB 110-60F	110 mm	600 mm	375 mm	6,6 kg
incl.: 4x KLR E clamp fastening set				

H: height
B: width
R: radius
G: weight

DETAILS / APPLICATIONS





OPTIONAL ACCESSORIES

REB



UL classified

