

RVB 85

cable tray vertical bend, height = 85 mm

cable tray vertical bend for flexible vertical change of direction



Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	H	B	R	G
RVB 85-10S	85 mm	100 mm	330 mm	2,8 kg
incl.: 4x KLR clamp fastening set				
RVB 85-20S	85 mm	200 mm	330 mm	3,3 kg
incl.: 4x KLR clamp fastening set				
RVB 85-30S	85 mm	300 mm	330 mm	3,8 kg
incl.: 4x KLR clamp fastening set				
RVB 85-40S	85 mm	400 mm	330 mm	4,3 kg
incl.: 4x KLR clamp fastening set				
RVB 85-50S	85 mm	500 mm	330 mm	4,8 kg
incl.: 4x KLR clamp fastening set				
RVB 85-60S	85 mm	600 mm	330 mm	5,3 kg
incl.: 4x KLR clamp fastening set				

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)






Product	H	B	R	G
RVB 85-10F	85 mm	100 mm	330 mm	3 kg
incl.: 4x KLR E clamp fastening set				
RVB 85-20F	85 mm	200 mm	330 mm	3,5 kg
incl.: 4x KLR E clamp fastening set				
RVB 85-30F	85 mm	300 mm	330 mm	4,1 kg
incl.: 4x KLR E clamp fastening set				
RVB 85-40F	85 mm	400 mm	330 mm	4,6 kg
incl.: 4x KLR E clamp fastening set				
RVB 85-50F	85 mm	500 mm	330 mm	5,1 kg
incl.: 4x KLR E clamp fastening set				
RVB 85-60F	85 mm	600 mm	330 mm	5,7 kg
incl.: 4x KLR E clamp fastening set				

H: height
B: width
R: radius
G: weight

DETAILS / APPLICATIONS





OPTIONAL ACCESSORIES

REB



UL classified

