


WPCP 100

wide-span crossing, height = 100 mm

wide-span cable ladder crossing for horizontal change of direction with integrated connectors



Welded construction. Formed components must be supported at all sides. Dissymmetric crossings on request.

Crossings with higher width/ radius are delivered as two resp. four pieces including coupling bolts. The following radii are available on request: 300 mm, 600 mm, 900 mm.

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	H	B	R	G
WPCP10-20-45-HDG	100 mm	200 mm	450 mm	18,78 kg
incl.:				
16x KLS 10X20-HDG			clamp fastening set	
WPCP10-30-45-HDG	100 mm	300 mm	450 mm	20,24 kg
incl.:				
16x KLS 10X20-HDG			clamp fastening set	
WPCP10-40-45-HDG	100 mm	400 mm	450 mm	21,56 kg
incl.:				
16x KLS 10X20-HDG			clamp fastening set	
WPCP10-45-45-HDG	100 mm	450 mm	450 mm	22,22 kg
incl.:				
16x KLS 10X20-HDG			clamp fastening set	
WPCP10-50-45-HDG	100 mm	500 mm	450 mm	22,87 kg
incl.:				
16x KLS 10X20-HDG			clamp fastening set	
WPCP10-60-45-HDG	100 mm	600 mm	450 mm	24,82 kg
incl.:				
16x KLS 10X20-HDG			clamp fastening set	
WPCP10-70-45-HDG	100 mm	700 mm	450 mm	35,73 kg
incl.:				
16x KLS 10X20-HDG			clamp fastening set	
WPCP10-75-45-HDG	100 mm	750 mm	450 mm	36,81 kg





Product	H	B	R	G
incl.: 16x KLS 10X20-HDG				
			clamp fastening set	
WPCP10-80-45-HDG	100 mm	800 mm	450 mm	37,90 kg
incl.: 16x KLS 10X20-HDG				
			clamp fastening set	
WPCP10-90-45-HDG	100 mm	900 mm	450 mm	41,38 kg
incl.: 16x KLS 10X20-HDG				
			clamp fastening set	
WPCP10-100-45-HDG	100 mm	1000 mm	450 mm	43,71 kg
incl.: 16x KLS 10X20-HDG				
			clamp fastening set	

Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	R	G
WPCP10-20-45-304	100 mm	200 mm	450 mm	17,69 kg
incl.: 16x KLS 10X20-304				
			clamp fastening set	
WPCP10-30-45-304	100 mm	300 mm	450 mm	19,07 kg
incl.: 16x KLS 10X20-304				
			clamp fastening set	
WPCP10-40-45-304	100 mm	400 mm	450 mm	20,31 kg
incl.: 16x KLS 10X20-304				
			clamp fastening set	
WPCP10-45-45-304	100 mm	450 mm	450 mm	20,93 kg
incl.: 16x KLS 10X20-304				
			clamp fastening set	
WPCP10-50-45-304	100 mm	500 mm	450 mm	22 kg
incl.: 16x KLS 10X20-304				
			clamp fastening set	
WPCP10-60-45-304	100 mm	600 mm	450 mm	23,88 kg
incl.: 16x KLS 10X20-304				
			clamp fastening set	
WPCP10-70-45-304	100 mm	700 mm	450 mm	29,74 kg





Product	H	B	R	G
incl.: 16x KLS 10X20-304				clamp fastening set
WPCP10-75-45-304	100 mm	750 mm	450 mm	30,57 kg
incl.: 16x KLS 10X20-304				clamp fastening set
WPCP10-80-45-304	100 mm	800 mm	450 mm	31,4 kg
incl.: 16x KLS 10X20-304				clamp fastening set
WPCP10-90-45-304	100 mm	900 mm	450 mm	34,01 kg
incl.: 16x KLS 10X20-304				clamp fastening set
WPCP10-100-45-304	100 mm	1000 mm	450 mm	43,71 kg
incl.: 16x KLS 10X20-304				clamp fastening set

Stainless steel, according to ASTM 31 Ti / AISI 316 L, BS 320S17 / BS 316S11

Product	H	B	R	G
WPCP10-20-45-316	100 mm	200 mm	450 mm	17,91 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP10-30-45-316	100 mm	300 mm	450 mm	19,31 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP10-40-45-316	100 mm	400 mm	450 mm	20,56 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP10-45-45-316	100 mm	450 mm	450 mm	21,19 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP10-50-45-316	100 mm	500 mm	450 mm	22 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP10-60-45-316	100 mm	600 mm	450 mm	23,88 kg



Product	H	B	R	G
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP10-70-45-316	100 mm	700 mm	450 mm	29,74 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP10-75-45-316	100 mm	750 mm	450 mm	30,57 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP10-80-45-316	100 mm	800 mm	450 mm	31,4 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP10-90-45-316	100 mm	900 mm	450 mm	34,01 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP10-100-45-316	100 mm	1000 mm	450 mm	43,70 kg
incl.: 16x KLS 10X20-316				clamp fastening set

H: height
B: width
R: radius
G: weight

DETAILS / APPLICATIONS

