


WPCP 150

wide-span crossing, height = 150 mm

wide-span cable ladder crossing for horizontal change of direction with integrated connectors



Welded construction. Formed components must be supported at all sides. Dissymmetric crossings on request.

Crossings with higher width/ radius are delivered as two resp. four pieces including coupling bolts. The following radii are available on request: 300 mm, 600 mm, 900 mm.

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	H	B	R	G
WPCP15-20-45-HDG	150 mm	200 mm	450 mm	26,93 kg
incl.: 16x KLS 10X20-HDG		clamp fastening set		
WPCP15-30-45-HDG	150 mm	300 mm	450 mm	28,88 kg
incl.: 16x KLS 10X20-HDG		clamp fastening set		
WPCP15-40-45-HDG	150 mm	400 mm	450 mm	30,63 kg
incl.: 16x KLS 10X20-HDG		clamp fastening set		
WPCP15-45-45-HDG	150 mm	450 mm	450 mm	31,33 kg
incl.: 16x KLS 10X20-HDG		clamp fastening set		
WPCP15-50-45-HDG	150 mm	500 mm	450 mm	32,38 kg
incl.: 16x KLS 10X20-HDG		clamp fastening set		
WPCP15-60-45-HDG	150 mm	600 mm	450 mm	34,96 kg
incl.: 16x KLS 10X20-HDG		clamp fastening set		
WPCP15-70-45-HDG	150 mm	700 mm	450 mm	41,73 kg
incl.: 16x KLS 10X20-HDG		clamp fastening set		
WPCP15-75-45-HDG	150 mm	750 mm	450 mm	43,01 kg





Product	H	B	R	G
incl.: 16x KLS 10X20-HDG				clamp fastening set
WPCP15-80-45-HDG	150 mm	800 mm	450 mm	43,90 kg
incl.: 16x KLS 10X20-HDG				clamp fastening set
WPCP15-90-45-HDG	150 mm	900 mm	450 mm	47,78 kg
incl.: 16x KLS 10X20-HDG				clamp fastening set
WPCP15-100-45-HDG	150 mm	1000 mm	450 mm	49,71 kg
incl.: 16x KLS 10X20-HDG				clamp fastening set

Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	R	G
WPCP15-20-45-304	150 mm	200 mm	450 mm	24,18 kg
incl.: 16x KLS 10X20-304				clamp fastening set
WPCP15-30-45-304	150 mm	300 mm	450 mm	25,6 kg
incl.: 16x KLS 10X20-304				clamp fastening set
WPCP15-40-45-304	150 mm	400 mm	450 mm	26,88 kg
incl.: 16x KLS 10X20-304				clamp fastening set
WPCP15-45-45-304	150 mm	450 mm	450 mm	27,39 kg
incl.: 16x KLS 10X20-304				clamp fastening set
WPCP15-50-45-304	150 mm	500 mm	450 mm	28,16 kg
incl.: 16x KLS 10X20-304				clamp fastening set
WPCP15-60-45-304	150 mm	600 mm	450 mm	30,04 kg
incl.: 16x KLS 10X20-304				clamp fastening set
WPCP15-70-45-304	150 mm	700 mm	450 mm	35,89 kg





Product	H	B	R	G
incl.: 16x KLS 10X20-304				clamp fastening set
WPCP15-75-45-304	150 mm	750 mm	450 mm	36,72 kg
incl.: 16x KLS 10X20-304				clamp fastening set
WPCP15-80-45-304	150 mm	800 mm	450 mm	37,55 kg
incl.: 16x KLS 10X20-304				clamp fastening set
WPCP15-90-45-304	150 mm	900 mm	450 mm	40,16 kg
incl.: 16x KLS 10X20-304				clamp fastening set
WPCP15-100-45-304	150 mm	1000 mm	450 mm	41,94 kg
incl.: 16x KLS 10X20-304				clamp fastening set

Stainless steel, according to ASTM 31 Ti / AISI 316 L, BS 320S17 / BS 316S11

Product	H	B	R	G
WPCP15-20-45-316	150 mm	200 mm	450 mm	24,18 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP15-30-45-316	150 mm	300 mm	450 mm	25,6 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP15-40-45-316	150 mm	400 mm	450 mm	26,88 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP15-45-45-316	150 mm	450 mm	450 mm	27,39 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP15-50-45-316	150 mm	500 mm	450 mm	28,16 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP15-60-45-316	150 mm	600 mm	450 mm	30,04 kg



Product	H	B	R	G
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP15-70-45-316	150 mm	700 mm	450 mm	35,89 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP15-75-45-316	150 mm	750 mm	450 mm	36,72 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP15-80-45-316	150 mm	800 mm	450 mm	37,55 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP15-90-45-316	150 mm	900 mm	450 mm	40,16 kg
incl.: 16x KLS 10X20-316				clamp fastening set
WPCP15-100-45-316	150 mm	1000 mm	450 mm	41,94 kg
incl.: 16x KLS 10X20-316				clamp fastening set

H: height
B: width
R: radius
G: weight

DETAILS / APPLICATIONS

