


## WPTP 100

wide-span branch, height = 100 mm

wide-span cable ladder branch shaped form as T-piece with integrated connectors



Welded construction. Formed components must be supported at all sides. Dissymmetric branches on request.

Branches with higher width/ radius are delivered as two pieces including coupling bolts. The following radii are available on request: 300 mm, 600 mm, 900 mm.

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	H	B	R	G
WPTP10-20-45-HDG	100 mm	200 mm	450 mm	12,22 kg
incl.:				
12x KLS 10X20-HDG			clamp fastening set	
WPTP10-30-45-HDG	100 mm	300 mm	450 mm	13,92 kg
incl.:				
12x KLS 10X20-HDG			clamp fastening set	
WPTP10-40-45-HDG	100 mm	400 mm	450 mm	15,42 kg
incl.:				
12x KLS 10X20-HDG			clamp fastening set	
WPTP10-45-45-HDG	100 mm	450 mm	450 mm	16,22 kg
incl.:				
12x KLS 10X20-HDG			clamp fastening set	
WPTP10-50-45-HDG	100 mm	500 mm	450 mm	17,02 kg
incl.:				
12x KLS 10X20-HDG			clamp fastening set	
WPTP10-60-45-HDG	100 mm	600 mm	450 mm	19,42 kg
incl.:				
12x KLS 10X20-HDG			clamp fastening set	
WPTP10-70-45-HDG	100 mm	700 mm	450 mm	26,20 kg
incl.:				
12x KLS 10X20-HDG			clamp fastening set	
WPTP10-75-45-HDG	100 mm	750 mm	450 mm	26,90 kg





Product	H	B	R	G
incl.: 12x KLS 10X20-HDG				clamp fastening set
WPTP10-80-45-HDG	100 mm	800 mm	450 mm	27,80 kg
incl.: 12x KLS 10X20-HDG				clamp fastening set
WPTP10-90-45-HDG	100 mm	900 mm	450 mm	31,00 kg
incl.: 12x KLS 10X20-HDG				clamp fastening set
WPTP10-100-45-HDG	100 mm	1000 mm	450 mm	33,10 kg
incl.: 12x KLS 10X20-HDG				clamp fastening set

## Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	R	G
WPTP10-20-45-304	100 mm	200 mm	450 mm	12,22 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP10-30-45-304	100 mm	300 mm	450 mm	13,92 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP10-40-45-304	100 mm	400 mm	450 mm	15,42 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP10-45-45-304	100 mm	450 mm	450 mm	16,54 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP10-50-45-304	100 mm	500 mm	450 mm	17,02 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP10-60-45-304	100 mm	600 mm	450 mm	19,42 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP10-70-45-304	100 mm	700 mm	450 mm	22,46 kg





Product	H	B	R	G
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP10-75-45-304	100 mm	750 mm	450 mm	26,90 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP10-80-45-304	100 mm	800 mm	450 mm	27,80 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP10-90-45-304	100 mm	900 mm	450 mm	31,00 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP10-100-45-304	100 mm	1000 mm	450 mm	33,10 kg
incl.: 12x KLS 10X20-304				clamp fastening set

**Stainless steel, according to ASTM 31 Ti / AISI 316 L, BS 320S17 / BS 316S11**

Product	H	B	R	G
WPTP10-20-45-316	100 mm	200 mm	450 mm	12,22 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP10-30-45-316	100 mm	300 mm	450 mm	13,92 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP10-40-45-316	100 mm	400 mm	450 mm	15,42 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP10-45-45-316	100 mm	450 mm	450 mm	16,54 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP10-50-45-316	100 mm	500 mm	450 mm	17,02 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP10-60-45-316	100 mm	600 mm	450 mm	19,42 kg



Product	H	B	R	G
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP10-70-45-316	100 mm	700 mm	450 mm	26,20 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP10-75-45-316	100 mm	750 mm	450 mm	26,90 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP10-80-45-316	100 mm	800 mm	450 mm	27,80 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP10-90-45-316	100 mm	900 mm	450 mm	31,00 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP10-100-45-316	100 mm	1000 mm	450 mm	33,10 kg
incl.: 12x KLS 10X20-316				clamp fastening set

**H:** height  
**B:** width  
**R:** radius  
**G:** weight

## DETAILS / APPLICATIONS

