


WPTP 150

wide-span branch, height = 150 mm

wide-span cable ladder branch shaped form as T-piece with integrated connectors



Welded construction. Formed components must be supported at all sides. Dissymmetric branches on request.

Branches with higher width/ radius are delivered as two pieces including coupling bolts. The following radii are available on request: 300 mm, 600 mm, 900 mm.

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	H	B	R	G
WPTP15-20-45-HDG	150 mm	200 mm	450 mm	15,78 kg
incl.:				
12x KLS 10X20-HDG			clamp fastening set	
WPTP15-30-45-HDG	150 mm	300 mm	450 mm	17,68 kg
incl.:				
12x KLS 10X20-HDG			clamp fastening set	
WPTP15-40-45-HDG	150 mm	400 mm	450 mm	19,32 kg
incl.:				
12x KLS 10X20-HDG			clamp fastening set	
WPTP15-45-45-HDG	150 mm	450 mm	450 mm	20,10 kg
incl.:				
12x KLS 10X20-HDG			clamp fastening set	
WPTP15-50-45-HDG	150 mm	500 mm	450 mm	20,96 kg
incl.:				
12x KLS 10X20-HDG			clamp fastening set	
WPTP15-60-45-HDG	150 mm	600 mm	450 mm	23,49 kg
incl.:				
12x KLS 10X20-HDG			clamp fastening set	
WPTP15-70-45-HDG	150 mm	700 mm	450 mm	31,80 kg
incl.:				
12x KLS 10X20-HDG			clamp fastening set	
WPTP15-75-45-HDG	150 mm	750 mm	450 mm	32,70 kg





Product	H	B	R	G
incl.: 12x KLS 10X20-HDG				clamp fastening set
WPTP15-80-45-HDG	150 mm	800 mm	450 mm	33,60 kg
incl.: 12x KLS 10X20-HDG				clamp fastening set
WPTP15-90-45-HDG	150 mm	900 mm	450 mm	37,00 kg
incl.: 12x KLS 10X20-HDG				clamp fastening set
WPTP15-100-45-HDG	150 mm	1000 mm	450 mm	39,10 kg
incl.: 12x KLS 10X20-HDG				clamp fastening set

Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	R	G
WPTP15-20-45-304	150 mm	200 mm	450 mm	15,78 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP15-30-45-304	150 mm	300 mm	450 mm	17,68 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP15-40-45-304	150 mm	400 mm	450 mm	19,32 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP15-45-45-304	150 mm	450 mm	450 mm	20,10 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP15-50-45-304	150 mm	500 mm	450 mm	20,96 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP15-60-45-304	150 mm	600 mm	450 mm	23,49 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP15-70-45-304	150 mm	700 mm	450 mm	28,27 kg





Product	H	B	R	G
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP15-75-45-304	150 mm	750 mm	450 mm	29,05 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP15-80-45-304	150 mm	800 mm	450 mm	29,82 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP15-90-45-304	150 mm	900 mm	450 mm	32,36 kg
incl.: 12x KLS 10X20-304				clamp fastening set
WPTP15-100-45-304	150 mm	1000 mm	450 mm	34,02 kg
incl.: 12x KLS 10X20-304				clamp fastening set

Stainless steel, according to ASTM 31 Ti / AISI 316 L, BS 320S17 / BS 316S11

Product	H	B	R	G
WPTP15-20-45-316	150 mm	200 mm	450 mm	15,78 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP15-30-45-316	150 mm	300 mm	450 mm	17,68 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP15-40-45-316	150 mm	400 mm	450 mm	19,32 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP15-45-45-316	150 mm	450 mm	450 mm	20,10 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP15-50-45-316	150 mm	500 mm	450 mm	20,96 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP15-60-45-316	150 mm	600 mm	450 mm	23,49 kg



Product	H	B	R	G
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP15-70-45-316	150 mm	700 mm	450 mm	28,27 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP15-75-45-316	150 mm	750 mm	450 mm	29,05 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP15-80-45-316	150 mm	800 mm	450 mm	29,82 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP15-90-45-316	150 mm	900 mm	450 mm	32,36 kg
incl.: 12x KLS 10X20-316				clamp fastening set
WPTP15-100-45-316	150 mm	1000 mm	450 mm	34,02 kg
incl.: 12x KLS 10X20-316				clamp fastening set

H: height
B: width
R: radius
G: weight

DETAILS / APPLICATIONS

